



CUT E15 SILICONE HEAT GLOVE

DESCRIPTION

The Cut E15 Silicone Heat Glove is engineered for performance in high-risk industrial environments, where both cut and heat hazards are a concern. Constructed with a 15-gauge seamless liner, this glove provides an optimal balance of flexibility, comfort, and dexterity while maintaining Cut Level E protection in accordance with EN 388 standards.

The silicone-coated palm enhances grip and delivers reliable heat resistance up to 250°C, making it suitable for intermittent contact with hot surfaces and materials. This combination of high cut resistance and thermal protection makes it a versatile choice for industries such as metal fabrication, glass handling, automotive manufacturing, and other high-temperature or sharp-edge applications.

Technical Specifications:

Liner Gauge: 15-gauge for high dexterity and tactile sensitivity
 Cut Resistance: Level E (EN 388)
 Coating: High-temp silicone palm for enhanced grip and heat insulation
 Heat Resistance: Up to 250°C (intermittent contact)
 Fit & Comfort: Lightweight, breathable construction for extended wear
 Applications: Metal processing, glass handling, automotive, manufacturing, and more
 For professionals seeking advanced hand protection without compromising on comfort or control, the Cut E15 Silicone Heat Glove delivers proven performance in the field.

FEATURES

- Level E cut resistance
- Provides contact heat protection up to 250°C for 15 seconds
- Silicone is a plastic rubber hybrid which provides high elasticity, tear strength and temperature performance with good grip in wet, dry and oily conditions
- Aramid provides high cut resistance and protection against heat
- Excellent durability and grip in wet and dry conditions
- Retail tag which aids presentation for retail sales
- CE certified
- New style

STANDARDS

EN ISO 21420: 2020 Dexterity 5
EN 388: 2016 + A1: 2018 3X42E
EN 407: 2020 X2XXXX
EN 511: 2006 X1X

COLOUR / SIZES

SKU	COLOUR	SIZE RANGE
AP42Y2R	YELLOW	XS-XXL

COMPOSITION

 Aramid, Steel, Elastane, Polyester

 **Silicone, 0g**
 **Yellow XS-XXL**





TECHINCAL INFORMATION

OEKO-TEX® Certificate
Cert Number: 11-25330

Item	Colour Fit	MS Len	MS Wid	MS HGT	MS WGT	MS CC	MS EAN13	MS DUN14
AP42Y2RXS	Yellow	58	38	40	.999	612.222	5036108496877	15036108983312
AP42Y2RS	Yellow	58	38	40	.999	612.222	5036108496853	15036108983299
AP42Y2RM	Yellow	58	38	40	.999	612.222	5036108496846	15036108983282
AP42Y2RL	Yellow	58	38	40	.999	612.222	5036108496839	15036108983275
AP42Y2RXL	Yellow	58	38	40	.999	612.222	5036108496860	15036108983305
AP42Y2RXXL	Yellow	58	38	40	.999	612.222	5036108496884	15036108983329